Best Practices for Service Accounts

## Although service accounts enable organizations to automate processes and work more efficiently, they lack some basic security best

Introduction

practices making them highly vulnerable to compromise. Poor lifecycle management • Lack of strong security controls such as strong password policies and MFA

Service accounts are dedicated accounts created by administrators, usually in a network directory, to allow systems and applications to interact with each other. These service accounts allow applications and systems to perform automatic, repetitive, and scheduled actions

in the background, without human intervention. They help organizations automate important processes such as passing information

 Lack of documentation and clear ownership Many administrators are unaware of all the service accounts operating in their network and their activities. This together with the fact

- that they are usually highly privileged and have access to various often critical systems and data, has made them a prime target for attackers in the last decade.

between systems, backup data, perform security scans and so on.

Silverfort service account protection involves the following steps: Discover all service accounts and their activities

 Prioritize service account protection Add proactive protection This document shows how Silverfort can identify all types of service accounts in your network and outlines best practices for securing

them.

The first step in protecting your environment is knowing where your data resides. When it comes to service accounts:

## Which assets use those service accounts

**Protecting Service Accounts** 

Discover

When your DCs connect to Silverfort, Silverfort automatically identifies the service accounts, monitors their authentication and behavior, and displays them in the Silverfort user interface.

Silverfort identifies service accounts through several different methods: • AD Configuration - Silverfort checks different attributes of user accounts in AD to find characteristics common to service

unknown accounts.

 $\Omega$ 

C

Repetitive behavior

security of the service account is as follows:

management and access reviews

account's owner.

C

ingesting this information into your PAM solution

build and update the service accounts inventory in Silverfort.

♠ https://silverfort.com/

SERVICE ACCOUNTS

■ Protection Service account ~

svc\_file\_manager

SQL Server Agent

SQL Server Agent

svc-healthmgmt-1

sfuser@ad.dmaws.silverf... 23

What service accounts do you have

The total number of service accounts

accounts, such as a password that never expires, or a naming convention typical of service accounts. • Behavioral Analysis - Silverfort analyzes each account's behavior to identify repetitive traffic patterns and discover even the most

Silverfort identifies and categories four types of service accounts:

Suspected brute...

customer environments (like OU, SG, and other naming conventions). gMSA - The specialized account type in AD used as a managed service account. Silverfort identifies and categories four types of service accounts:

• Custom Insights - Silverfort receives feedback from the admin regarding the management structure of service accounts in the

https://silverfort.com/

Interactive login

67

Highly priviliged

Machine to machine (223) © Hybrid (36) © Scanners (8) © Dormant (230) © Removed (134) ©

Unprotected accounts

0

**2 0** 

@ **■** 

0

1 day

1 day

4 days

4 days

6 days

6 days

8 days


Over a month

Critical

Medium

61

128



all sources, destinations and protocols the service account operates with. It also presents the number of authentications and the latest activity of each. This enables security teams to gain a deeper understanding of the service account's activity. Important points toward improving the

Silverfort automatically monitors and gathers data on every service account's authentication activity. The system identifies and presents

▶ Identifying the application owner to validate the proper usage of this service account and applying better controls such as lifecycle

▶ Applying a security policy that acts as a "virtual fence" around the actual usage of the service account, detected by Silverfort Additionally, Silverfort allows administrators to build an inventory of service accounts. Use the comments field per service account to document the service account's purpose, as well as any notes related to its management. Use the owner field to document the service

▶ Identifying the service account dependencies (sources and destinations) to allow password rotations either manually or by

**Prioritize** 

In the Silverfort service account screen, admins are provided with actionable insights and the total risk level for each service account.

This enables security teams to understand better the different risks associated with their service accounts in this manner.

In cases where service accounts are managed in a different tool, use Silverfort's REST APIs and ServiceNow integration to automatically

命 12 128 Repetitive behavior Suspected brute.. Highly priviliged Interactive login Unprotected accounts

Sources V Destinations V Authentications V

250.1K

25.6K

19.5K

25.6K


19.5K

8.9K

167.8K

Machine to machine (223) ① Hybrid (36) ② Scanners (8) ② Dormant (230) ② Removed (134) ②

**Y Filters** (Name: All ) (Protection status) (Baseline change: All ) (Risk: All ) (Action: All ) (+ More



10.62.50.157 AC-AWS-DC12

• Hybrid - trace the service-like repetitive behavior being performed by a human user and remove this bad practice by

• Scanners - if the scanner is running from a few sources to scan a large volume of destinations such as workstations or

• **Dormant** - enable a security policy that allows no authentications to be performed by these accounts (can be performed

Silverfort also displays the last time a change in the detected sources, destinations, or protocols was detected for each service account in the Baseline Change column. Utilize this data to identify service accounts with consistent activity over time. It will be considered safe to activate a security policy on service accounts with long periods of consistent activity.

in bulk) and monitor them for a certain period to eventually disable them or remove them entirely from AD

deny. This is where Smart Policy kicks in since it performs this automatically

servers, create a policy that restricts the sources, or vice versa

This will significantly reduce the chances of disrupting service operation.

Smart Policy for Service Accounts

面

contacting the user and potentially suggesting the creation of a dedicated service account

As an extra safety measure, you may want to consider a Notify policy to track policy violations without blocking traffic to allow an additional monitoring period for policy adjustments to take place. Automate The Silverfort team understands the importance of securing service accounts in an automated and scalable manner. Therefore, we recommend the implementation of our Smart Policy for Service Accounts, Service Accounts APIs, and the ServiceNow integration.

Deny after the selected number of days of stable activity ① 21 days Send to SIEM Send Smart Policy violations to SIEM

Exclude service accounts

Smart Policy enables organizations with many service accounts to apply security policies in bulk.

5 excluded 💌

on your ServiceNow CMDB instance, you enable: protection policies in real-time. teams.

**Integration with Service Account APIs** 

attackers, allowing them to move laterally and elevate their privileges. Many organizations do not know who their service accounts are, and those who do have no visibility into their activity and resources face the challenge of protecting them. When companies gain comprehensive knowledge of service account behavior and activities, they can apply security policies that:

By gaining complete visibility into service accounts and proactively protecting them with the proper security controls, organizations are

equipped to reduce the attack surfaces of service accounts.

Allow only the required authentication flows
Reduce risk levels

Silverfort secures every dimension of identity. We are the first to deliver end-to-end identity security across the entire IAM infrastructure, eliminating gaps and blind spots, giving businesses visibility into their identity fabric and extending protection to resources that previously could not be protected. This is all done via a patented technology that natively integrates with your entire IAM infrastructure, Runtime Access Protection™ (RAP). It is lightweight, easy to use and deploy, and won't disrupt business operations, resulting in better security outcomes with less work. Discover every identity across every environment, analyze exposures to reduce your attack surface, and enforce security controls inline to stop lateral movement, ransomware

→ C nttps://silverfort.com/ SERVICE ACCOUNTS All Policies are Synced Smart Policy active < Machine to machine (223) © Hybrid (36) © Scanners (8) © Dormant (230) © Removed (134) © 创 Y Filters (Name: All) (Protection status) (Baseline change: All) (Risk: All) (Action: All) (+ More) O Destinations V Authentications V High ① 250.1K Last 7 days Allow authentications that meet the following conditions Source Destination Protocol All destinations All sources Not seen Kerberos Selected sources Selected destinations ☑ NTLM Not seen LDAP/S Not seen Hits Device Hits Device 10.62.50.82 10.62.51.21 6.2K 4.7K 172.31.60.13 34.197.23.126 4.1K Allow 💮 Risk level is Medium or lower ■ Block access ■ Alert to SIEM ■ Alert ■ Block interactive logon ① Silverfort's service accounts policy creation screen displaying how to enable the policy and which action the admin should assign to this policy. These are the best practices for protecting service accounts per category: • Machine-to-machine - Configure and apply a notify policy that monitors and adjusts as needed until moving forward to

**Smart Policy** Use the Smart Policy to completely automate the process of monitoring, adjusting and eventually enforcing a deny policy for service accounts. The Smart Policy is configured with a scope of accounts, security groups and organizational units containing service accounts, and the desired periods of consistent activity for enabling a Notify or Deny policies. Including groups and OUs will allow the automatic protection of newly created service accounts.

icles enable you to automatically protect entire AD user groups or OUs of service accounts based on their activity profile. Define the scope of the policy and the

Select the timeframe for establishing the activity baseline, for each policy action

Notify after the selected number of days of stable activity ① 7 days

ame for creating a baseline of each service account's activity. Once the baseline is confirmed, Silverfort applies protection by denying any devi

A different approach to more automated and consistent service account policy management is building an automated correlation between Silverfort's Service Account Policy and a third-party service. Service Account Protection Policy integrations make use of our Service Account API which allows full visibility and control over the service accounts and their security policies. From an automation perspective, this can all be read and controlled via the API. ServiceNow Integration Silverfort understands the need for automated and scalable service account protection capabilities and therefore developed a ServiceNow application that specifically focuses on leveraging the ServiceNow CMDB data with the Silverfort Service Account Policy. The integration delivers automated enforcement of our Service Account Policy capabilities without any interaction of security admins. This happens in real-time based on CMDB application and services data. By using the Silverfort service account protection application • Scalability: Scale service account protection by leveraging the CMDB as a single source of truth and enforcing service account • Team collaboration: leverage the integration for easy cross-team collaboration on security enforcement. Application teams updating CMDB application information directly adjust the security policies for these applications without any manual intervention of security • Minimizing human errors: mistakes are easily made by humans, but not by automation. Source data reflects immediately in corresponding policies with the right data in the right spot. The integration can be installed through the ServiceNow Store and can be found <u>here</u>. Conclusion In most cases, service accounts are privileged, passwords are rarely changed, and MFA is not applicable. This makes them a prime target for

About Silverfort

Block network lateral movement

Protect previously undetected IT assets

propagation, and other identity threats. To learn more, visit www.silverfort.com

Silverfort

Silverfort.com